PATEN

In the UNITED STATES PATENT and TRADEMARK OFFICE

APPLICANT:

Lai, et al.

EXAMINER:

DOCKET NO.:

Fubara, Blessing M.

SERIAL NO.:

09/905,022

ART UNIT:

1615 6816.US.O1

FILING DATE:

TITLE:

July 13, 2001

ENTERAL FORMULATIONS

noutify, that this parrounandones (alone with

I certify that this correspondence (along with any paper referred to as being attached or enclosed) is being deposited with the United States Postal Service with sufficient postage as first class mail addressed to the Assistant Commissioner for Patents, Washington, D.C., 20231 on

the date shown below.

Wendy Detailed

Vendy Detwile

Assistant Commissioner for Patents Washington, D.C. 20231

REMARKS

This amendment is in response to the Office Action mailed September 20, 2002. A request for a three-month extension of time accompanies this response. Claims 1-15 remain active in this application. Claim 15 is allowed in the Office Action. Claim 4 has been canceled. In this amendment, the Applicants have amended claims 1, 3 and 11. Claim 11 has been amended to delete "modified cellulose" from the list of fibers because there is no support in the written description. Claims 1 and 3 have been amended to specify that the stabilizing protein be selected from a group of vegetable proteins. Support for the vegetable stabilizing proteins may be found on page 6, lines 20 through 25.

Claims 1-14 were rejected under 35 U.S.C. 103(a) as being unpatentable over Henningfield et al (US 5,221,668). Henningfield teaches a liquid nutritional product with a protein system comprising lactalbumin hydrolysate (whey protein) and partially hydrolyzed caseinate (casein protein), a lipid system and a source of carbohydrate. Henningfield does not teach the incorporation of vegetable proteins into the protein system. Henningfield stresses the importance of utilizing high-quality proteins and good quality protein based on protein efficiency ratio in the formulation. (Described in Henningfield page 11, last sentence; page 12, last paragraph, second sentence; and page 13, second paragraph.) Consequently, the Henningfield formulation utilizes high quality casein and whey protein. One of ordinary skill in the art would not have readily

substituted vegetable proteins for milk proteins because vegetable proteins do not have the high biological value of milk proteins.

One of the most common biological methods for evaluating the nutritional value of proteins is the protein efficiency ratio (PER). The PER shows how well test animals utilize protein by measuring their weight gain on a controlled diet. The more weight gain per unit of protein intake, the higher the PER of the tested protein. Milk proteins rank higher on the PER scale when compared to vegetable proteins. For example, the PER for: whey protein concentrate is 3.0; lactalbumin is 2.9; milk protein isolate is 2.8; casein is 2.5; rice is 2.2; soy protein isolate is 1.8; and wheat gluten is 1.1. The Henningfield inventors specifically selected two high quality protein sources for their trauma/surgery formulation, lactalbumin protein (PER=2.9) and casein protein (PER=2.5). They do not discuss substituting lesser quality soy protein (PER=1.8). Further information about protein quality and PER may be found in the attached New Zealand Milk Products, Inc. literature titled A Guide to the Benefits of Milk Protein.

Additionally, as described on page 3, lines 8 through 17 of the written description, one of ordinary skill in the art would not replace a casein protein, accepted in the art as an emulsifying protein, for a vegetable protein that does not posses the emulsifying qualities and in fact destabilizes the formulation at levels above 60%. The Applicant's finding that caseinate actually destabilizes the enteral formula by promoting phase separation was entirely unexpected and the remedy is not suggested or taught in Henningfield.

In light of the foregoing, Applicant respectfully requests examination and allowance of the currently pending claims. Applicant request the Examiner to contact Applicant's Representative below, if doing so may expedite disposition of this case.

Respectfully submitted,

Reg. 44,996

Ross Products Division of ABBOTT LABORATORIES Dept. 108140-DS/1 625 Cleveland Avenue Columbus, OHIO 43215-1724

Telephone:

614/624-3012

Facsimile:

614/624-3074


DOCKET:

6816.US.01


Benefits of Milk Protein

MILK PROTEIN

There is no better, more versatile source of protein than milk.
Cimply, milk protein is the protein of choice.



Breakdown f Milk



It's all too easy to take milk for granted, to dismiss it as simply a pleasant beverage for children and adolescents. But milk is much more than something to pour on the morning cereal. It is the source of a wide range of proteins that deliver nutrition and health to today's most promising new food products. Isolated milk proteins are natural, trusted ingredients with superior functionality.

Milk's Many Proteins

One of the reasons why milk is such a good food is that it contains a wide variety of different proteins. Milk proteins are of two basic types: casein proteins and whey proteins. Casein, the primary protein type, occurs as complexes, or micelles, in fresh milk, while the whey proteins are soluble in the milk's serum phase. There is considerable diversity among these proteins. Additionally, they can be treated in various ways to yield a range of ingredients with diverse functional characteristics from which to choose.

Casein is extracted from milk by isoelectric or enzymatic precipitation. Acid casein is manufactured by adding acid to skim milk until the pH drops to 4.6, causing the casein to precipitate from the whey. For lactic casein, microbial cultures are added to milk to convert lactose to lactic acid, lowering the pH and precipitating the casein. After it is washed with water, lactic and acid casein can be resolubilized by adding alkali or an alkaline salt to form caseinate.


Rennet casein is yet another type of casein. The enzyme rennet, instead of acid, is used to precipitate the casein, yielding a protein with high levels of calcium.

Whey proteins are a more diverse group than the casein proteins. Most are globular, complex molecules cross-linked into defined structures. Heating the whey remaining after casein or cheese manufacture yields an insoluble denatured protein known as *lactalbumin*. Alternatively, whey can be ultrafiltered to remove some of the lactose, yielding *whey protein concentrate (WPC)*. Because processing at high heat is avoided, New Zealand WPCs remain soluble and functional.


Several years ago, New Zealand Milk Products patented a process for a new type of milk protein precipitate that recovers the whey proteins, as well as the casein, without high heat. This product is called *Total Milk Protein (TMP)*, which food processors typically list as "milk protein isolate" on product labels.

Another group of milk protein products is known as *milk protein bydrolysates*.

They are manufactured by enzyme hydrolysis of casein, TMP, lactalbumin, or WPC. Many



Amino Acid Profile



Suggested Requirement for Preschool Child
(FAD/WHO 1989)
Cessin/Cessigate

Whey Protein

different hydrolysates are available, depending on the substrate used and the intended function of the end product.

Protein: A Key to Good Health

To maintain good health, humans must consume protein as a source of amino acids. When you eat protein, digestive enzymes break the large, complex protein molecules into small amino acid chains, or peptides, and free amino acids, which are then absorbed from the digestive tract into the bloodstream. The peptides and amino acids are distributed throughout the body for growing and repairing muscle and connective tissue, synthesizing enzymes and certain hormones, supplying metabolic energy, providing the principal cellular buffer system, and playing other critical physiological roles.

Proteins occur in all sorts of food, both animal and vegetable, but not all proteins are created nutritionally equal. In large measure, this difference among proteins has to do with varying levels of the essential amino acids—amino acids that cannot be synthesized within the human body and must be supplied by the diet.

Basically, a given protein is only as good as its least abundant amino acid—which is called the *limiting amino acid*. Take wheat protein as an example. Lysine is the limiting amino acid, at only 26% of the level recommended in the FAO/WHO (1989) amino acid pattern. To meet the lysine requirement, a diet based on wheat as the protein source must contain a much larger amount of that food than does a diet based on a superior protein source, like milk.

A limiting amino acid can also be overcome by combining proteins. For example, combining milk protein—which is rich in lysine—with wheat protein—which is deficient in lysine—boosts the overall protein value of products made with flour.

Picking a Protein: Which Is Best?

There are two basic ways to evaluate the nutritional value of proteins: analytical and biological. Each of the evaluative methods has specific benefits and limitations, but when the results of all measures are put together, a clear picture emerges.

Chemical score is an example of an analytical method. The chemical score

expresses the amount of the first limiting amino acid as a percentage of the recommended level. The higher the score, the better the protein. Milk proteins have much higher scores than do vegetable proteins like wheat gluten and soy protein isolate.

The drawback to analytical methods is that they do not account for what happens to the protein inside the body. Biological methods, on the other hand, measure protein performance in vivo. One of the most commonly used biological methods is the *protein efficiency ratio* (*PER*). PER shows how well test animals utilize protein by measuring their weight gain on a controlled diet. The more weight the animals gain per unit of protein intake, the higher the PER of the tested protein. As with the chemical score, milk proteins rank high on the PER scale, much higher than do vegetable proteins.

There are limitations with PER measurements, however. The tests are performed in rats, not humans, and results may not be comparable. Also, PER scores are nonlinear; that is, the protein value of a given quantity of a food with a PER of 1.3 is not simply half as good as the same quantity of another food with a PER of 2.6. Likewise, PERs are nonadditive; that is, they cannot be used to determine the nutritive value of a mixture of different proteins.


Still, the bottom line remains the same. By both analytical and biological methods, milk protein ranks right at the top as an excellent source of the complete, balanced protein humans need. Simply put, there is no more versatile protein than milk protein.


How Much Protein Is Enough Protein?

The United States is the scene of considerable governmental and scientific debate over the best way to state the nutritive content and quality of food products. Various methods of calculating protein quality evaluations for nutritional labeling declarations are being considered.

Under current U.S. regulations, the amount of protein a person over four years old should consume per day depends upon the PER of the protein source. If the protein source has a PER of 2.5 or more—as milk protein does—the diet should include 45 grams of that source. If the PER is less than 2.5, the diet should include 65 grams. The requirements for pregnant and lactating women are higher.

Protein Efficiency Ratio





An alternative method has been endorsed by the United Nations' Food and Agriculture Organization (FAO) and World Health Organization (WHO), which are particularly concerned about nutrition in Third World countries. This method, called the *protein digestibility—corrected amino acid score (PD-CAA)*, uses amino acid scores adjusted by data on protein digestibility. Ideally, the digestibility data are taken from humans; in fact, though, rats have been used for routine assays. Supporters of PD-CAA argue that this method more accurately reflects the nutritional requirements of humans while incorporating allowances for the biological value of the protein in a simple, accessible calculation. However, PD-CAA fails to account for the varying digestibilities of specific amino acids, and it may overestimate the ability of vegetable proteins to meet human requirements, particularly for the sulphur amino acids.

PD-CAA scores for milk protein are uniformly high, indicating that caseinate, whey proteins, and TMPs are excellent complete protein sources for both children and adults. Indeed, no matter which method of evaluating protein quality is chosen, milk protein ranks highly for people of all ages.

Working Alone or Lending a Hand

Milk protein is a rich source of essential amino acids all by itself. In addition, it can be used as a complementary protein. That is, milk protein can be used to boost the nutritional quality of other proteins, particularly vegetable isolates that are limiting in one or more of the essential amino acids.

Since milk protein is often rich in the very amino acids that are limiting in vegetable proteins, combining the two boosts overall protein quality. A small amount of milk protein added to a food product formulation can markedly increase overall protein value.

The Special Protein for Special Diets

Everybody needs protein, but some people need it more than others. In different life styles and at different life stages, we humans have special protein requirements.

The young. Childhood is one such stage. Because children are growing so fast, and because healthy development in the child is critical to health and happi-

Complementary Protein Blends





Latizibumin and wheat gluten combined: en oversli belapped protein blend. PER 2.5

Blend	Ratio	PER
Lactalbumin - Wheat Protein	50:50	2.5
Cazelo - Say Protein Isolate	75:25	2.5
Milk Protein Isolaia - Wheat Protein	50-50	2.5







ness in later life, meeting the protein requirement is crucially important. According to the FAO/WHO recommendation, for example, infants need to consume an average of 460 milligrams of the essential amino acids for each gram of crude protein, while adults require only 127 milligrams. Products formulated for young consumers—and products formulated for all age groups, children included—need to take children's high protein-quality requirements into account. Since children eat small volumes of food, milk protein ingredients, with their rich essential amino acid content, help ensure that the daily protein requirement is satisfied.


Senior adults. While the amount of protein required does not increase over age 65, seniors need fewer calories and tend to eat less than younger adults. As a result, they often consume too little protein. One clinical study found that a startling 50% of hospitalized and convalescent elderly were protein-malnourished.

One solution is enteral products, medical-nutritional supplements that deliver the right balance of the right nutrients. Including milk protein in the formulation ensures that the amino acid balance of an enteral product is precisely what senior adults need.

The 111 and the injured. Medical-nutritional products are also finding increasing use for patients who have undergone trauma, from surgery or accident, or who suffer from diseases causing metabolic imbalance. Practically all medical-nutritional formulas are based on milk protein, which is readily absorbed, has a bland taste, and can be engineered to meet the specific needs of particular medical conditions.

Athletes and weekend warriors. Bodybuilders, power lifters, shotput and discus throwers, football players, swimmers, cyclists, runners, speed walkers, and other athletes who require strength and power typically supplement their diets with protein. Milk protein, either alone or as a complement to vegetable proteins, is an excellent supplement for athletes. Milk protein contains a large proportion of branched-chain amino acids, which, according to mostly anecdotal evidence, may augment both bodybuilding and endurance. Other studies indicate that whey proteins enhance the immune system, which may be impaired by severe training regimens.

What goes for fulltime athletes should also apply to healthy adults who pursue sports training as part of their health and fitness routine. Products made with milk protein are ideal because of their overall nutritional benefit.



Milk proteins have a functional as well as a nutritional role in the physiological well-being of mammals, including humans.

There's More to Milk Protein Than Just Protein

In recent years, researchers have uncovered ways that milk and milk proteins actually improve the digestion and absorption of nutrients, both from milk and from other sources. These nutrients, which belong to that novel class of ingredients known as physiologically functional foods, represent the new frontier in our understanding of milk's nutritional role.

Milk-derived bioactive peptides aid in immune modulation, digestion, pain relief, and mineral absorption. Casein phosphopeptide (CPP), for example, may aid in the preferential absorption of calcium and iron from the small intestine. Already CPP is being added to calcium-fortified soft drinks, mineral tablets, and other products in Japan to boost their nutritive efficiency. More applications are in development. In addition, ongoing research is showing that certain other peptides arising naturally from the digestion of milk benefit human health and contribute to well-being.

Lactoferrin, a bioactive milk protein that is particularly abundant in colostrum, is both an excellent iron transporter and a natural antibacterial agent. Lactoferrin may prove useful as a bacteriostat, particularly against dental caries. Similarly, lactoperoxidase functions as either a bacteriostat or a bacteriocide depending on environmental conditions.

And that's just the beginning. Every day the list of milk constituents offering unexpected nutritional benefits—and commercial potential as physiologically functional foods—is growing.

Cutting Fat

Milk protein has long proved its worth as a functional fat-replacer in a number of reduced-fat applications, including frozen yogurt and bakery products. Current research is showing how successful milk protein can be in many other applications, including beverages, frozen desserts, dressings, and low-fat cheeses and meats. Milk protein helps restore the mouthfeel and texture lost when fat is removed, while at the same time increasing the protein value of the final product.

Doing Yourself, and Your Customers, a Favor

Milk protein is the ingredient you need to design the next generation of food product successes. Because its functionality can be engineered with remarkable exactness, milk protein offers a way to create products with the mouthfeel, texture, and nutrition consumers want. Milk protein has taste advantages, too; the clean bland flavor doesn't get in the way, unlike the cereal notes left by vegetable proteins. And milk protein allows the kind of clean labeling that attracts health-conscious shoppers.

There's no doubt about it. Milk protein is the protein of choice.

Sources

Adler-Nissen, Jean. Enzymic Hydrolysis of Food Proteins. London and New York: Blacvier Applied Science Publishers, 1986, pp. 57-109 and 324-328.

Bounous, Gustavo, et al. "The Immunoenhancing Property of Dietary Whey Protein Concentrate." Clinical and Investigative Medicine, 11:271-278 (1988).

Brines, R.D., and Brock, J.H. 'The Effect of Trypsin and Chymotrypsin on the In Vitro Antimicrobial and Ironbinding Properties of Lactoferth in Human Milk and Bovine Colostrum." *Blochimica et Biophysica Acta*, 759:229-235 (1983).

Brinson, Robert R., et al. "A Reappraisal of the Peptide-Based Enteral Formulas: Clinical Applications." Nutrition in Clinical Practice, 4:211-217 (December 1989).

De Laey, P., et al. "The Role of Lactoferrin in Iron Absorption." Protides Biology of Fluids, 16:627-632 (1968).

Food and Agriculture Organization/World Health Organization. Report of the Joint FACI/WHO Expert Consultation on Protein Quality Evaluation. Bethesda, MD, December 1989.

Kawaguchi, Shigeru, et al. "The Effect of Lactoferrin Enriched Formulas on Premaure Bables: Changes in the Stool and Intestinal Flora." Paper presented to the Annual Meeting of the Japanese Society for Pediatric Gastroenterology and Nutrition, 1986.

Melsel, Hans, and Prister, Hermann. "Chemical Characterization of a Caseinphosphopepilde Isolated from In Vivo Digests of a Casein Diet." *Biologische Chemie Hoppe-Selver Zeitschrift für Physiologische Chemie*, 369:1275-1279 (December 1988).

Meredith, C.N., et al. "Dietary Protein Requirements and Body Protein Metabolism in Endurance-Trained Men." Journal of Applied Physiology, 66:2850-1856 (1989).

Morr, C.V. "Production and Use of Milk Proteins in Road." Food Technology, July 1984, pp. 39ff.

Naito, Hiroshi. "Casein Phosphopepilde: Intra-Intestinal Formation and Significance in the Bioavailability of Calcium." In A. Yoshida et al., eds., Nutrition and Amino Acids. Tokyo: Japan Scientific Society Press, and Berlin: Springer-Verlag, 1990, pp. 207-220.

Poullain, Marie-Gwenaelle, et al. "Effect of Whey Proteins, their Oligopeptide Hydrolysates and Free Amino Acid Mixtures on Growth and Nitrogen Resention in Fed and Starved Rats." Journal of Parenteral and Enteral Nutrition, 13:382-386 (1989).

Renner, Edmund. Milk and Dairy Products in Human Nutrition. Munich: W-GmbH, Volkswirtschaftlicher Verlag, 1983.

Sarwar, Ghulam, et al. Amino Acid Profile and Lysine-availability of Milk-Based Infant Formulas. Ottawa, Canada: Bureau of Nutritional Sciences, undated.

Southward, C.R. "Manufacture and Applications of Edible Casein Products I. Manufacture and Properties." New Zealand Journal of Dairy Science and Technology, 20: 79-101 (1985).

Tarnopolsky, M.A., et al. "Influence of Protein Intake and Training Status on Nitrogen Balance and Lean Body Mass." Journal of Applied Physiology, 64:1987-193 (1988).

Zaloga, Gary P. "Physiologic Effects of Peptide-Based Enteral Formulas." Nutrition in Clinical Practice, 5:231-237 (December 1990).

	Application	Required Characteristics	Suggested Products	Product Type
Agrated Products	Frozen Yoguri	Aeration, creamy mouthfeel, acid and structural stability	AllWhip	Modified Milk Protein
	Mousse	Aeration, body & structural stability	all W hip	Modified Milk Protein
	Nougals	Aeration, foam stability, low sensitivity to hot syrup & resistance to syneresis	AllWhip	Modified Milk Protein
	Whipped Toppings	Emulsification, aeration & structural/ freeze thaw stability	AllWhip	Modified Milk Protein
Restructured Products	Мезі	Adhesion, water/far binding & gel formation similar to myosin	ALACEN	Whey Protein Concentrate
The state of the s	Non-Specific Loaves & Sausages	Emulsification, water binding	ALANATE TMP	Sodium Caseinale or Calcium Caseinale Total Milk Protein
	Poultry	Adhesion, emulsification water binding	TMP ALANATE	Total Milk Protein Hydrolyzed Sodium Caseinate
Descerts & Confectionery Products	Fortified Confectionery Coadlogs	Low water absorption capacity	ALANATE	Calcium Caseinale
	Frozen Desseru	Emulsification, texture & structural stability	TMP	Milk Protein Isolate
	Ice Cream/Ice Milk	Viscosity, emulsification & body	ALANATB	Calcium Sodium Caseinate
	Puddings	Thickening, emulsification & structural stability	TMP	Milk Protein Isolate
Dairy Products & Analogs	Coffee Whiteners	Emulsification, whitening & acid stability	ALANATE	Sodium Caseinate
	Imizzion Cheese	Emulsification, texture and bland flavor	ALAREN	Renuet Casein
	Low Fat Spreads	Emulsification, viscosity, mouthfeel & flavor	ALANATE	Sodium Caselnare
	Sour Cream Analog	Smooth texture, body, opacity, emulsification & acid stability	ALANATE	Calcium Sodium Caseinate
	Whipped Toppings	Smooth texture, body, opacity, emulsification & acid stability	ALANATE	Sodium Casetnate
Convenience Foods	Canned Cream Soups	Emulsification, water/fax binding, resort stability & low thermophiles	ALANATE	Sodium Caselnate
A STATE OF THE STA	Egg Substitutes	Heat-set formation, low cholesierol, opacity and bland flavor	ALACEN	Whey Protein Concentrate
The state of the s	Salad Dressing and Imitation Mayonnalse	Emulsification, thickening & acid stability, Emulsification, thickening, acid stability, opacity & low cholesterol	y Alacen Alanate	Whey Protein Concentrate Calcium Sodium Caselnate

Application	Required Characteristics	Suggested Produ cts	Product Type	
Bakery Blends	Non-fat dairy milk replacers	ALACO	All Dairy Blend	Bakery Products
Bakery Glazes	Hest-set film formation & high sheen	ALACO Bakery Glaze	Whey Protein Concentrate & Sodium Caseinate	
Batters & Breadings	increase viscosity, swengthen structure, reduce moisture loss	SAVORLAC or ALACEN	Whey Sodium Caselnate Whey Protein Concentrate	
Fortification	Nurtitionally complements cereal grains, water absorption, amino acid profile	SAVORIAC or ALATAL	Whey Calcium Sodium Casetnaue Lactalbumin	
Pasta	Retort & structural stability, nutritional fortification	TMP	Milk Protein Isolate	
Acid Beverages	Acid/hext stability & superior nutritional quality (PER 3.2)	ALACEN	Whey Protein Concentrate	Health & Mutrillon
Calcium Fortified Foods	High calcium content, bland flavor, milk- derived calcium source	ALAMON	Milk Calcium Minerals	
Low Sodium Products	Opacity, solubility & low viscosity Emulsification, solubility & whippability Dispersibility, opacity, low viscosity & PER (2.8)	ALANATE TMP	Magnesium Caseinate or Porassium Caseinate Milk Protein Isolate	
Nutritional Beverages	Low viscosity in high-protein solutions, suspension stability & smooth mouthfeel	ALANATE	Calcium Sodium Coseinale	·
	Dispersibility, suspension stability, opacity & low sodium	ALANATE	Calcium Caseinale	
	PER (2.8), low viscosity, dispersibility & opacity	TMP	Milk Protein Isolate	
Nutridon Bars -	Occupillado a serio de la bassación	AT AN AFF	Calcium Sodium Caseinate	
Walers	Controlled aeration & low water absorption capacity	ALANATE		
Soft Core	Specific water absorption, fat binding & high sheen	ALACEN	Whey Protein Concentrate	
Enteral -			· · · · · · · · · · · · · · · · · · ·	Medical Products
Standard Resort or				The second secon
UHT Processed	Emulsification, low thermophiles, excellent heat stability & bland flavor	ALANATE	Sodium Caseinate or Calcium Caseinate	
	Excellent nutritional quality (PER 2.6), emulsification, excellent heat stability and bland flavor	ТМР	Milk Protein Isolate	
Laciose Intolerance	Low factose content	ALANATE or TMP or NPH	Cascinate Milk Protein Isolate Milk Protein Hydrolysate	
Trauma	High in di- & uri pepudes & supplemented with branched chain autho acids (BCAA content 45%)	мрн	Milk Protein Hydrolysate with Leucine, Isoleucine & Valine	
Infant Formula -				
Reduced Allergenicity	Allergenicity reduced by enzyme hydrolysis, excellent nutritional quality, good solubility, low lactose & relatively bland flavor	мрн	Milk Protein Hydrolysate	

W RLDWIDE NETW RK



Wellington, New Zealand Tel: 0064-4-471-8300 Fax: 0064-4-471-8600



Europe, UK and Africa

New Zealand Milk Products (Europe)
Tel: 0049-41-0130-290 Fax: 0049-41-0130-2920
New Zealand Milk Products (UK) Ltd.
Tel: 0044-737-224949 Fax: 0044-737-241268

Middle East

New Zealand Milk Products (Middle East) Tel: 00973-213611 Fax: 00973-213565

Commonwealth of Independent States

Sovenz/CIS Tel: 0064-4-711535 Fax: 0064-4-711539

North America

New Zealand Milk Products (North America), Inc. Tel: 001-707-524-6600 Fax: 001-707-524-6666

The Caribbean, Latin and Central America

New Zealand Milk Products (Florida) Inc. Tel: 001-305-760-9880 Fax: 001-305-760-9885

North Asia

New Zealand Milk Products (Japan) Tel: 0081-3-3597-8992 or 0081-3-3597-8993 Fax: 0081-3-3597-8994

Southeast Asia

New Zealand Milk Products (SEA) PTE Ltd. Tel: 0065-7778968 Fax: 0065-7784400

Australia

Mllk Products Holdings (Australia) PTY Ltd. Tel: 0061-3-7643377 Fax: 0061-3-7643343

Pacific

New Zealand Milk Products (Pacific) Tal: 0054-9-601952 Fax: 0064-9-601957

NEW ZEALAND MILK PRODUCTS, INC.

3637 Westwind Boulevard Santa Rosa. California 95403 Tel: 1-800-336-1269 Fax: 1-707-524-6666